

EndoLow Soy Peptone

(GMO-Free, Animal-Free) Cat. No. 394 | MI-AC-750 | Version: 4

Date: 14/03/2025

Low Endotoxin Level Peptones that improves cell density and protein production for eukaryotic and prokaryotic cell cultures in **BioPharma process**.



PRODUCT DESCRIPTION:

Endolow Soy Peptone is a product obtained from soy protein which controlled manufacturing process ensures a low endotoxin content.

POTENCIAL APPLICATIONS:

This product is an excellent source of peptides, vitamins and carbohydrates. It can be used in tissue culture media, vaccines and antibodies production and a wide BioPharma process.

PHYSICAL CHARACTERISTICS:

Fine powder, cream to yellow colored and no foreign particles.

Chemical Characteristics	Specifications	Typical Value
Amino Nitrogen (AN)	Minimum 2,20%	3.10%
Total Nitrogen (TN)	Minimum 7,00%	9.76%
AN/TN	N/A	34.84
Loss on drying	Maximum 6,00%	3.70%
Ash	Maximum 15,00%	9.00%
pH (2% solution)	6,50 – 7,50	7.30

Microbiological Characteristics	Specifications	Minerals	Typical Value
Endotoxins	<200 EU/g	Calcium	0.039%
Standard plate count	Less than 1500 CFU/g	Magnesium	0.099%
Yeasts and molds	Less than 100 CFU/g	Potassium	4.50%
Coliforms	Negative	Sodium	3.16%
Salmonella	Negative		

PACKAGING	STORAGE	RETEST	CERTIFICATIONS

The dry product is packaged in polyethylene bags into reinforced fiber board drums. 25 kg | 50 kg

Keep in original packaging closed, in a dry and cool place. Hygroscopic product.

5 years after its manufacturing date.

ISO 9001 SADER-SENASICA

Page 1 of 2

www.biotecnica.com.mx ventas@biotecnica.com.mx




EndoLow Soy Peptone


(GMO-Free, Animal-Free)
Cat. No. 394 | MI-AC-750 | Version: 4

Date: 14/03/2025

Amino acid	g/100g
Glutamic acid	11.83
Aspartic acid	9.00
Leucine	3.90
Lysine	3.85
Alanine	3.18
Arginine	3.05
Valine	2.94
Serine	2.69
Threonine	2.61
Isoleucine	2.55
Proline	2.54
Glycine	2.47
Phenylalanine	2.40
Tyrosine	1.38
Histidine	1.23
Methionine	0.86
Cystine	0.79
Tryptophan	0.68



MOLECULAR WEIGHT DISTRIBUTION



Molecular weight distribution %				
<500 Da	68.50			
500 – 750 Da	13.00			
750 Da - 3 kDa	17.80			
3 - 5 kDa	0.60			
5 – 20 kDa	0.10			
>20 kDa	0.00			
Average Molecular Weight Da	194.00			

Page 2 of 2